
Best Available Copy

SALAN

SCANNED, # 20



SCANNED, # 20

FIGURE 2B




FIGURE 2C

6PS CDMA
[10101111001110111]
Wireless LAN

Fisire 3


**7073** 

Application ID	405
Low Noise Amplifier	404
Mixer	406
Local Oscillator/IF	408
Analog Filter Parameters	
	410
ADC Sample Rate	416
ADC Precision	415
Numerical Oscillator/Digital IF	420
Digital Filter Coefficients	422
Digital Filter Taps	424
Analog Interface	426
Timing and Formatting	428

Figure 4A

Application ID	452
Power Amplifier Driver	454
Mixer	456
Local Oscillator/IF	458
Analog Filter Parameters	
	460
DAC Sample Rate	466
DAC Precision	468
Numerical Oscillator/Digital IF	470
Digital Filter Coefficients	472
Digital Filter Taps	474
Analog Interface	476

## Figure 4B



看的P3




FIGURE 7

電影的

Receive Control / data path
format table

cross

cross

vedate the control / Latymath - 806

registers

END - 808

Fisie 8

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.